

FERTILIZER WITH

CRABGRASS CONTROL



CONTAINS

GUARANTEED ANALYSIS Total Nitrogen (N)	5%	3868	5 4 0	1 6 6	
Chlorine (CI) not more than*******************************	5.0%	22			

Information regarding the contents and levels of metals in this product is available on the Internet at: http://www.regulatory-info-lebsea.com

SUGGESTED SPREADER SETTINGS					
Spreader	4#/1,000 sq. ft.	6#/1,000 sq. ft.	Spreader	4#/1,000 sq. ft.	6#/1,000 sq. ft.
LebanonTurf	4 ³ ⁄ ₄	5½	Lesco (letter/Nume	eric) J/21	L/24
Andersons AccuPro	M	0	PennMulch HVO	N	P
Earthway Rotary	16	20	ProScape SS	N	P
Gandy	28	30	Spyker [*]	43/4	5½
Lely	6 II	7 II	Vicon (all models)	26	31
These settings were cali	brated and field tested.	. However, age and c	ondition of spreader	r, speed of operatio	n and evenness of
terrain may require sligh	tly different settings fo	r desired coverage.			

A Granular Fertilizer Containing TEAM® for the Preemergence Control of Crabgrass, Foxtail, Goosegrass, Poa Annua and Other Annual Weed Grasses in Established Turfgrass.

ACTIVE INGREDIENTS: Benefin	
Benefin CAS. No. 1861-40-1 Trifluralin CAS. No. 1582-09-8	(L) (D)
EPA Reg. No. 961-346 TEAM is a Trademark of Dow AgroSciences LLC.	(L) (D) EPA Est. No. 961-PA-01:961-IL-0 ⁻² Superscript used is first letter of lot number

KEEP OUT OF REACH OF CHILDREN CAUTION

See back panel for First Aid and additional Precautionary Statements.

NOTICE: Read the entire label. Use only according to label directions. Before buying this product, read the Warranty Section elsewhere on this label. If terms are not acceptable, return the unopened container at once.



For technical assistance or more information about our products visit www.LebanonTurf.com

Manufactured by:

Lebanon Seaboard Corporation

1600 E. Cumberland St. • Lebanon, PA 17042

Made in the U.S.A. www.LebanonTurf.com

NET WT. 50 LBS. (22.7 kg)

FERTILIZER WITH TEAM® HERBICIDE

CRABGRASS CONTROL

15-0-5



CONTAINS SCU

GUARANTEED ANALYSIS

Total Nitrogen (N)	15%
15.0% Urea Nitrogen*	
Soluble Potash (K ₂ 0)	5 %
Sulfur (S)	
1.5% Free Sulfur (S)	

0 88685 40166 4

Derived From: Sulfur Coated Urea, Urea, Muriate of Potash.

F699 **□**

22-40166

Information regarding the contents and levels of metals in this product is available on the Internet at: http://www.regulatory-info-lebsea.com

SUGGESTED SPREADER SETTINGS					
Spreader	4#/1,000 sq. ft.	6#/1,000 sq. ft.	Spreader 4	#/1,000 sq. ft.	6#/1,000 sq. ft.
LebanonTurf	4 ³ / ₄	5½	Lesco (letter/Numerio) J/21	L/24
Andersons AccuPro	M	0	PennMulch HVO	N	P
Earthway Rotary	16	20	ProScape SS	N	P
Gandy	28	30	Spyker	4³⁄4	5½
Lely	6 II	7 II	Vicon (all models)	26	31

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

A Granular Fertilizer Containing TEAM® for the Preemergence Control of Crabgrass, Foxtail, Goosegrass, Poa Annua and Other Annual Weed Grasses in Established Turfgrass.

ACTIVE INGREDIENTS:
Benefin
Trifluralin
OTHER INGREDIENTS: 98.845%
TOTAL 100.000%
Para-fir OAO No. 4004 40 4 Triff-malia OAO No. 4500 00 0

Benefin CAS. No. 1861-40-1 Trifluralin CAS. No. 1582-09-8 (L) (D)

EPA Reg. No. 961-346 EPA Est. No. 961-PA-01:961-IL-01

TEAM is a Trademark of Dow AgroSciences LLC. Superscript used is first letter of lot number.

CAUTION

See back panel for First Aid and additional Precautionary Statements.

NOTICE: Read the entire label. Use only according to label directions.

Before buying this product, read the Warranty Section elsewhere on this label.

If terms are not acceptable, return the unopened container at once.



For technical assistance or more information about our products visit www.LebanonTurf.com Manufactured by:

Lebanon Seaboard Corporation

1600 E. Cumberland St. • Lebanon, PA 17042

Made in the U.S.A. www.LebanonTurf.com

NET WT. 50 LBS. (22.7 kg)



Fertilizer with TEAM® HERBICIDE

CRABGRASS CONTROL

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals.

Personal Protective Equipment (PPE)

All loaders, applicators and other handlers must wear:

- Long-sleeved shirt and long pants,
- Socks plus shoes, and
- Chemical-resistant gloves made of any waterproof material.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

FIRST AID

IF ON SKIN: • Take off contaminated clothing.

OR CLOTHING: • Rinse skin immediately with plenty of water for 15-20 minutes.

• Call a poison control center or doctor for treatment advice.

IF SWALLOWED: • Call a poison control center or doctor immediately for treatment advice.

Have person sip a glass of water if able to swallow.

• Do not induce vomiting unless told to do so by a poison control center or doctor.

• Do not give anything by mouth to an unconscious person.

IF IN EYES: • Hold eye open and rinse slowly and gently with water for 15-20 minutes.

• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

• Call a poison control center or doctor for treatment advice.

IF INHALED: • Move person to fresh air.

• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.

• Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For Emergency Medical Information call (888) 208-1368.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to freshwater, marine, and estuarine fish and aquatic invertebrates including shrimp and oyster. Do not apply in a manner that will directly expose canals, lakes, streams, ponds, marshes or estuaries to aerial drift. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate. Drift and runoff may be hazardous to aquatic organism in water adjacent to treated areas.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read all directions carefully before applying this product.

Not for use on plants grown for sale or other commercial use, or for commercial seed production, or for research purposes. For use on plants intended for aesthetic purposes or climatic modification and being grown in ornamental gardens or parks, or on golf courses or lawns and grounds.

Application Restrictions: Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during applications.

Entry Restrictions: This product must be watered in as soon as possible after application. Do not enter or allow other people (or pets) to enter the treated area until dusts have settled. Except for those people involved in the watering-in - do not enter or allow other people (or pets) to enter the treated areas until the watering-in is complete and the surface is dry.

PRODUCT INFORMATION

This turf fertilizer product contains TEAM, a preemergence herbicide which is applied to established turfgrasses for the control of the winter annual grass: Annual Bluegrass (Poa annua); and summer annual grasses: Smooth and Hairy Crabgrass, Goosegrass (silver crabgrass or crowfootgrass), Barnyardgrass (watergrass) and Green and Yellow Foxtail. This product also provides partial control of prostrate spurge (Euphorbia humistrata), spotted spurge (Euphorbia maculata), creeping spurge (Euphorbia serpens), creeping woodsorrel (Oxalis corniculata) and yellow woodsorrel (Oxalis stricta).

This Product Is For Use On The Following Established Warm and Cool Season Perennial Turfgrass Species: **Established Cool Season Turfgrasses -** Bentgrass Fairways, Kentucky Bluegrass, Perennial Ryegrass, Fescues **Established Warm Season Turfgrasses -** Bahiagrass, Bermudagrass, Centipedegrass, St. Augustinegrass, Zoysiagrass.

This product should be applied one to two weeks prior to the anticipated germination of the target annual weeds. Apply using a properly calibrated granular fertilizer spreader which will uniformly distribute the product over the target area. Avoid skips and excessive overlaps as poor weed control or turfgrass injury may occur. Optimum weed control performance will be obtained if treated areas are irrigated soon after application. This product will not harm most nearby ornamentals.

In areas with extended growing seasons or where desired, a second application at the recommended rate can be made 8 to 10 weeks following the initial application on cool season turfgrasses and 10 to 12 weeks following the initial application on warm season turfgrasses.

PRECAUTIONS AND RESTRICTIONS

Do Not Ship or Store with Food, Feeds, Drugs or Clothing.

Reseeding: Chemicals that effectively control annual weed seeds may also affect new desirable turfgrass seedlings. Do not reseed treated areas for a minimum of 8 weeks after a single application of 4 lbs. per 1,000 sq. ft. (174 lbs. per acre) or 12 to 16 weeks after a single application of 6 lbs. per 1,000 sq. ft. (260 lbs. per acre). For split applications, do not reseed treated areas for 8 to 10 weeks after the last 3 lbs. per 1,000 sq. ft. rate (130 lbs. per acre) or 10 to 12 weeks after the last 4 lbs. per 1,000 sq. ft. rate (174 lbs. per acre).

Use caution to confine product to intended application area, as the active ingredients may stain concrete, plastic or other materials.

Do not apply this product to golf course putting greens, dichondra, or newly sprigged areas of Bermudagrass, St. Augustinegrass, Centipedegrass, or Zoysiagrass.

Any cultural practices that disturb the soil, such as aerification or verticutting, should be done prior to application.

APPLICATION INSTRUCTIONS

Broadcast Application Rates:	Cool Season Turfgrasses	Warm Season Turfgrasses	
Summer Annual Grass Weeds	130 to 195 lbs./acre	260 lbs./acre	
Spring Application)	3 to 4.5 lbs./1000 sq. ft.	6 lbs./1000 sq. ft.	
Winter Annual Grass Weeds	130 to 174 lbs./acre	260 lbs./acre	
Fall Application)	3 to 4 lbs./1000 sq. ft.	6 lbs./1000 sq. ft.	

For the active ingredient benefin, the following rate restrictions apply:

Cool Season Turf:

Maximum of 1.5 lbs. ai per acre per application.

Maximum of 2 applications per year.

Maximum of 3 lbs. ai per acre per year.

Warm Season Turf:

Maximum of 3 lbs. ai per acre per application. Maximum of 2 applications per year. Maximum of 6 lbs. ai per acre per year.

Split Applications for Extended Control and Lawn Care Operator Programs:

As an alternative to single application programs, this product may also be applied in split application is made well in advance of weed germination and where weed control is desired for a longer period of time.

Apply this product at 3 lbs. plus 3 lbs. per 1,000 sq. ft. (130 lbs. per 1,000 sq. ft. (130 lbs. per acre) for Cool Season Turfgrasses and in the northern half of the Warm Season Turfgrasses area of the U.S. or 4 lbs. per 1,000 sq. ft. (174 lbs. plus 174 lbs. per acre) in the southern half of the Warm Season Turfgrasses area of the U.S. The second application should be made 8 to 10 weeks following the 3 lbs. per 1,000 sq. ft. rate (130 lbs. per acre) and 10 to 12 weeks following the 4 lbs. per 1,000 sq. ft. rate (174 lbs. per acre).

Supplemental applications of lawn fertilizer are needed to achieve a minimum 1 pound nitrogen per 1,000 sq. ft.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

В

W

Pesticide Storage: Store product in its original container in a cool, dry, locked place out of the reach of children and animals.

Pesticide Disposal: Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

Container Handling: Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available. Completely empty container into application equipment. Then dispose of empty container in a sanitary landfill or by incineration, of, if allowed by State and local authorities, by burning. If burned stay out of smoke.

WARRANTY

IMPORTANT: READ BEFORE USE

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or buyer accepts the following Conditions, Disclaimer of Warranties and Limitations of Liability.

CONDITIONS: The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Lebanon Seaboard Corporation. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: To the extent consistent with applicable law, Lebanon Seaboard Corporation MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of Lebanon Seaboard Corporation is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. To the extent consistent with applicable law, Lebanon Seaboard Corporation DISCLAIMS ANY LIABILITY WHATSOEVER FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

LIMITATIONS OF LIABILITY: To the extent consistent with applicable law, THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT LEBANON SEABOARD CORPORATION'S ELECTION, THE REPLACEMENT OF PRODUCT.

MANUFACTURED BY:

LEBANON SEABOARD CORPORATION

1600 EAST CUMBERLAND STREET LEBANON, PA 17042

For technical assistance or more information about our products visit www.LebanonTurf.com

Information regarding the contents and levels of metals in this product is available on the Internet at http://www.regulatory-info-lebsea.com