

FAIRWAYS SOIL TEST RESULTS

EXAMPLE GOLF CLUB

FAIRWAY #1

10/25/12

07/20/12

SOIL TEXTURE	SANDY LOAM	SANDY LOAM
ORGANIC MATTER	MEDIUM	MEDIUM HIGH
PH	5.5	5.8
NITRATE NITROGEN	25 PPM (HIGH)	25 PPM (HIGH)
AMMONIUM NITROGEN	12 PPM (MED HIGH)	15 PPM (HIGH)
PHOSPHORUS	19 PPM (MED LOW)	26 PPM (MED)
POTASSIUM	60 PPM (LOW)	150 PPM (MED)
CALCIUM	1200 PPM (MED HIGH)	1254 PPM (MED HIGH)
MAGNESIUM	125 PPM (HIGH)	125 PPM (HIGH)




COMPOSITE
SAMPLE
LOCATIONS

FAIRWAY #2

10/25/12

07/20/12

SOIL TEXTURE	SANDY LOAM	SANDY LOAM
ORGANIC MATTER	MEDIUM HIGH	HIGH
PH	6.0	6.2
NITRATE NITROGEN	18 PPM (HIGH)	20 PPM (HIGH)
AMMONIUM NITROGEN	18 PPM (HIGH)	21 PPM (HIGH)
PHOSPHORUS	12 PPM (LOW)	13 PPM (LOW)
POTASSIUM	60 PPM (LOW)	90 PPM (MED LOW)
CALCIUM	1600 PPM (HIGH)	1600 PPM (HIGH)
MAGNESIUM	125 PPM (HIGH)	125 PPM (HIGH)




COMPOSITE
SAMPLE
LOCATIONS

FAIRWAY #3

10/25/12

07/20/12

SOIL TEXTURE	SANDY LOAM	SANDY LOAM
ORGANIC MATTER	MEDIUM	MED HIGH
PH	5.4	5.2
NITRATE NITROGEN	25 PPM (HIGH)	18 PPM (HIGH)
AMMONIUM NITROGEN	35 PPM (MED)	25 PPM (HIGH)
PHOSPHORUS	25 PPM (MED)	13 PPM (LOW)
POTASSIUM	120 PPM (MED)	120 PPM (MED)
CALCIUM	1600 PPM (HIGH)	1600 PPM (HIGH)
MAGNESIUM	125 PPM (HIGH)	125 PPM (HIGH)



COMPOSITE
SAMPLE
LOCATIONS